

Friday, September 16, 2011 10:39:56 AM



PRELIMINARY ISSUE

Page 1

ABEW 11-640

Author's address: Department of Psychology, University of California, San Diego, La Jolla, CA 92037, USA.
E-mail: jacob@psych.ucsd.edu

Setup Start

Stop

[illegible][illegible]**Cust Item ID:**[illegible]

Customer:

Reference:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3805	1 P/B B								
100	Memo	0.00							
Large Fab	1- on D3806-5, fill cut outs with hardcoat welding rod as per dwg D3805 2059 B Hardcoat Welding Rod BATCH#: M119060.	0.00							
Large Fab	2-weld D3806-5 to wearplate by positioning holes together as per dwg D3805 304 S.S. Welding Rod BATCH #: M117659								
	3-Transfer drill holes in bar								
QC	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
Quality Control	Memo	0.00							

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 73820

Friday, September 16, 2011 10:39:56 AM

Page 3

Item ID: D3805-045

Accept

Setup Start

Revision ID:

Stop

Item Name: Wearplate Assembly Aft, Low Gear

Start Date: 9/16/2011 Start Qty: 8.00

Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 8.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

0.00



Small Fab

Memo

0.00

Small Fab

1 - Bond D3807-5 gasket to inner surface of wearplate using a thin layer of 3m
1300/1300L scotch grip adhesive as per dwg
BATCH: M115230

8
8/11/10/13

160

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

8
8/11/10/13

170

Identify as per dwg & Stock Location: FP-1

0.00



Packaging

Memo

0.00

Packaging

8
MEASURED
ACCOUNTED
8/11/10/13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 73820

Page 4

Friday, September 16, 2011 10:39:56 AM

Item ID: D3805-045

Accept



Setup Start



Revision ID:

Stop



Item Name: Wearplate Assembly Aft, Low Gear

Start Date: 9/16/2011 Start Qty: 8.00



Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 8.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/10/18

POSITIVE RECALL

EFFECTIVE

AUTH

RELEASED

DATE 11.10.16

CEN11640

MF 11-10-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Friday, September 16, 2011 10:39:53 AM

Parent Item Name: Wearplate Assembly Aft, Low Gear

Required Date: 10/7/2011

Required Qty: 8.00

Comments: IPP Rev:A 08-12-01 new issue EC verified by:DD IPP Rev:B 09-03-04 rev.a as per dwg DD verified by:EC

[illegible]


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3805-041	FWD WEARPLATE ASSY, LOW GEAR
2		X			D3805-043	FWD WEARPLATE ASSY, HIGH GEAR
3			X		D3805-045	AFT WEARPLATE ASSY, LOW GEAR
4				X	D3805-047	AFT WEARPLATE ASSY, HIGH GEAR
11	1				D3805-1	PLATE
12		1			D3805-3	PLATE
13			1		D3805-5	PLATE
14				1	D3805-7	PLATE
15	1				D3806-1	BAR
16		1			D3806-3	BAR
17			1		D3806-5	BAR
18				1	D3806-7	BAR
19	1				D3807-1	GASKET
20		1			D3807-3	GASKET
21			1		D3807-5	GASKET
22				1	D3807-7	GASKET
31	A/R	A/R	A/R	A/R	2059B	HARDCOAT
32	A/R	A/R	A/R	A/R	1300 (OR 1300L)	3M SCOTCH-GRIP ADHESIVE

PRELIMINARY ISSUE


11.09.16


PB1	REVISED D3805-1F1-3F TO EASE MANUFACTURABILITY (ADDED CUTOUT AT FWD END OF PLATE PER PART11-106)	MB	11.09.16
A	NEW ISSUE	MB	08.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.09.16		


DART AEROSPACE USA, INC.
PORT HADLOCK, WA


DRAWING NO.
D3805
TITLE
WEARPLATE ASSY
REV. PB1
SHEET 1 OF 8
SCALE
NTS

COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.











1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX


6) IDENTIFICATION: N/A

7) WEIGHT: 2.06 lbs

PRELIMINARY ISSUE

11.09.16

DESIGN	92	DART AEROSPACE USA, INC.	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. PB
MFG. APPR.		D3805	SHEET 6 OF
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NT
DATE	11.09.16	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND IS SUPPLIED ON THE EXPRESS OR IMPLIED UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.</small>	




NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.13 lbs

PRELIMINARY ISSUE


11.09.16

DESIGN	97	DART AEROSPACE USA, INC.	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3805	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




DETAIL F
SLOT DETAIL TYP
SCALE 4X

C5-4
C5-5
C4-6
C4-7




DETAIL G
SLOT DETAIL TYP
SCALE 4X

C1-4
C1-5
C1-6
C2-7



DETAIL J
SCALE 4X

B6-4
B7-5
B5-6
B5-7



SECTION H-H
SCALE 4X

D3-4
D3-5
D3-6
D3-7


PRELIMINARY ISSUE

11.09.16


DESIGN	47	DART AEROSPACE USA, INC.	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3805	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

8 7 6 5 4


3 2 1




D3805-041 FWD WEARPLATE ASSY, LOW GEAR



D3805-043 FWD WEARPLATE ASSY, HIGH GEAR



D3805-045 AFT WEARPLATE ASSY, LOW GEAR



D3805-047 AFT WEARPLATE ASSY, HIGH GEAR

8 7 6 5 4

3 2 1


ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3805-041	FWD WEARPLATE ASSY, LOW GEAR
2		X			D3805-043	FWD WEARPLATE ASSY, HIGH GEAR
3			X		D3805-045	AFT WEARPLATE ASSY, LOW GEAR
4				X	D3805-047	AFT WEARPLATE ASSY, HIGH GEAR
11	1				D3805-1	PLATE
12		1			D3805-3	PLATE
13			1		D3805-5	PLATE
14				1	D3805-7	PLATE
15	1				D3806-1	BAR
16		1			D3806-3	BAR
17			1		D3806-5	BAR
18				1	D3806-7	BAR
19	1				D3807-1	GASKET
20		1			D3807-3	GASKET
21			1		D3807-5	GASKET
22				1	D3807-7	GASKET
31	A/R	A/R	A/R	A/R	2059B	HARDCOAT
32	A/R	A/R	A/R	A/R	1300 (OR 1300L)	3M SCOTCH-GRIP ADHESIVE

RELEASED
2011-10-03


B	REVISED D3805-1F/3F TO EASE MANUFACTURABILITY (ADDED CUTOUT AT FWD END OF PLATE PER PART 11-108) AND RE-ORGANIZED NOTES SHEETS 2 & 3	MB	11.09.16
A	NEW ISSUE	MB	08.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D3805 TITLE WEARPLATE ASSY SHEET 1 OF 8 SCALE NTS	REV. B	
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DATE	11.09.16		

COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED UNDERSTANDING THAT IT IS NOT TO BE LOANED, REPRODUCED, COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



8 7 6 5 4 3 2 1



D3805-041 FWD WEARPLATE ASSY, LOW GEAR



D3805-043 FWD WEARPLATE ASSY, HIGH GEAR




RELEASED
2011-10-03

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "GREY SANTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3805-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D3805-041 = 4.18 lbs; D3805-043 = 4.78 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.19 THICK X 0.50 WIDE, FLUSH WITH D3806-X BAR ON ALL 3 SURFACES
- 10) AFTER WELDING, TRANSFER DRILL THRU BAR FROM PLATE
- 11) AFTER FINISH, BOND D3807-X GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3805	SHEET 2 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


8 7 6 5 4 3 2 1




D3805-045 AFT WEARPLATE ASSY.



VIEW C-C C5-3



D3805-047 AFT WEARPLATE ASSY.




VIEW D-D C1-3


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "GREY SANTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3805-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D3805-045 = 4.24 lbs; D3805-047 = 4.53 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.19 THICK X 0.50 WIDE, FLUSH WITH D3806-X BAR ON ALL 3 SURFACES
- 10) AFTER WELDING, TRANSFER DRILL THRU BAR FROM PLATE
- 11) AFTER FINISH, BOND D3807-X GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE


DESIGN	92	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3805	SHEET 3 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

RELEASED
R 2011-10-03
JWP






8 7 6 5 4 3 2 1



D3805-5 PLATE
(MAKE FROM D3805-5F)



D3805-5F PLATE


RELEASED
2011-10-03

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.06 lbs

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3805	SHEET 6 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

8 7 6 5 4 3 2 1



D3805-7 PLATE
(MAKE FROM D3805-7F)




D3805-7F PLATE

RELEASED
2011-10-03


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 2.13 lbs

DESIGN		DART AEROSPACE USA, INC.
DRAWN		KENT, WA
CHECKED		DRAWING NO. D3805
MFG. APPR.		REV. B
APPROVED		SHEET 7 OF 8
DE APPR.		TITLE WEARPLATE ASSY
DATE	11.09.16	SCALE NTS


COPYRIGHT © 2003 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COMING OR COMMINGLED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.




DETAIL F
SLOT DETAIL TYP
SCALE 4X
C5-4
C5-5
C4-6
C4-7



DETAIL G
SLOT DETAIL TYP
SCALE 4X
C1-4
C1-5
C1-6
C2-7



DETAIL J
SCALE 4X
B6-4
B7-5
B5-6
B5-7



SECTION H-H
SCALE 4X
D3-4
D3-5
D3-6
D3-7

RELEASED
R 2011-10-03
WTH

DESIGN	<i>47</i>	DART AEROSPACE USA, INC.	
DRAWN	<i>47</i>	KENT, WA	
CHECKED	<i>47</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>47</i>	D3805	SHEET 6 OF 8
APPROVED	<i>47</i>	TITLE	SCALE
DE APPR.	<i>47</i>	WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	